


Utipro Plus AF for the Control and Prevention of Urinary Tract Infections¹

An Innovative Approach to Rationalise Antimicrobial Treatment²

The WHO has stated that Antimicrobial Resistance (AMR) is one of the **Top 10** current global health threats³



50% of all women will suffer with a UTI in their lifetime⁴



9/10 patients with uncomplicated cystitis did not require an antibiotic with utipro plus⁵

Mode of Action

Xyloglucan-Gelose
(100 mg-50 mg)




The Xyloglucan-Gelose creates a film that covers the surface of the intestinal mucosa. This effect can prevent adhesion and growth of bacteria reducing transmission to the urinary tract.⁵




The Hibiscus and Propolis mildly acidify urine, helping to eliminate E.coli and control symptoms including:


- Painful urination
- Frequent urination
- Urgent urination
- Bladder tenderness or pain.⁵




utipro^{plus} reduces the use of antibiotics.
9 out of 10 patients did not require antibiotics with Utipro^{plus}




utipro^{plus} improves the symptoms associated with acute cystitis after 5 days of treatment, compared to a placebo, reducing need for antibiotic treatment⁵



utipro^{plus} provides relief from initiation⁵



utipro^{plus} significantly reduces UTI relapses after 6 months⁶



For Acute Cystitis

From the development of the first symptoms of urinary discomfort. Take 2 capsules per day (1 capsule every 12 hours) for 5 days.¹



For Recurrent Infections

To prevent recurrence, take 1 capsule per day for 15 consecutive days per month.¹ Treatment can be repeated in cycles to prevent recurrences.²

Utipro Plus AF is safe, well tolerated and reduces the bacteriological and symptomatic parameters in adults, with uncomplicated UTI's.⁷

1. Utipro Plus AF Product Information Leaflet Rev.02.01.09.2019
2. T. Cai et al. Xyloglucan, hibiscus and propolis to reduce symptoms and antibiotics use in recurrent UTIs: a prospective study - Future Microbiology, 2019; 14:1013-1021.
3. www.who.int/news-room/fact-sheets/detail/antimicrobial-resistance
4. Cistitis recurrentes en la mujer. Actualización terapéutica. 7DM n.º 856. Mayo 2014.
5. Garcia-Larrosa and Alexa – Efficacy and Safety of a Medical Device versus Placebo in the Early Treatment of Patients with Symptoms of Urinary Tract Infection: A Randomized Controlled Trial, Clin Microbiol 2016.
6. Salvatorelli N. et al. A New Approach to the Treatment of Uncomplicated Cystitis: Results of a Randomized Placebo-Controlled Clinical Trial. Urol Int 2016.
7. Costache RD et al. Xyloglucan + Gelose Combination versus Placebo as Adjuvant Therapy to First-Line Antimicrobials for Uncomplicated Urinary Tract Infection in Adults - Urologia Internationalis 2019;102:468-475.

info@utipro.ie

www.utipro.ie



Pamex Limited, Moneen Business Park, Castlebar, Co. Mayo, F23 RX24, Ireland